



MECH

SPARES RUBBER PRODUCTS

AS568 system UNIT: mm

O-RING NO	SPEC	ID	WIDTH	O-RING NO	SPEC	ID	WIDTH	O-RING NO	SPEC	ID	WIDTH
001	0.74*1.02	0.74	1.02	044	94.97*1.78	94.97	1.78	138	53.64*2.62	53.64	2.62
002	1.07*1.27	1.07	1.27	045	101.32*1.78	101.32	1.78	139	55.25*2.62	55.25	2.62
003	1.42*1.52	1.42	1.52	046	107.67*1.78	107.67	1.78	140	56.82*2.62	56.82	2.62
004	1.78*1.78	1.78	1.78	047	114.02*1.78	114.02	1.78	141	58.42*2.62	58.42	2.62
005	2.57*1.78	2.57	1.78	048	120.37*1.78	120.37	1.78	142	59.99*2.62	59.99	2.62
006	2.90*1.78	2.90	1.78	049	126.72*1.78	126.72	1.78	143	61.60*2.62	61.60	2.62
007	3.68*1.78	3.68	1.78	050	133.07*1.78	133.07	1.78	144	63.17*2.62	63.17	2.62
008	4.47*1.78	4.47	1.78	102	1.24*2.62	1.24	2.62	145	64.77*2.62	64.77	2.62
009	5.28*1.78	5.28	1.78	103	2.06*2.62	2.06	2.62	146	66.34*2.62	66.34	2.62
010	6.07*1.78	6.07	1.78	104	2.84*2.62	2.84	2.62	147	67.95*2.62	67.95	2.62
011	7.65*1.78	7.65	1.78	105	3.63*2.62	3.63	2.62	148	69.52*2.62	69.52	2.62
012	9.25*1.78	9.25	1.78	106	4.42*2.62	4.42	2.62	149	71.12*2.62	71.12	2.62
013	10.82*1.78	10.82	1.78	107	5.23*2.62	5.23	2.62	150	72.70*2.62	72.70	2.62
014	12.42*1.78	12.42	1.78	108	6.02*2.62	6.02	2.62	151	75.87*2.62	75.87	2.62
015	14*1.78	14.00	1.78	109	7.60*2.62	7.60	2.62	152	82.22*2.62	82.22	2.62
016	15.60*1.78	15.60	1.78	110	9.19*2.62	9.19	2.62	153	88.57*2.62	88.57	2.62
017	17.17*1.78	17.17	1.78	111	10.77*2.62	10.77	2.62	154	94.92*2.62	94.92	2.62
018	18.77*1.78	18.77	1.78	112	12.37*2.62	12.37	2.62	155	101.27*2.62	101.27	2.62
019	20.35*1.78	20.35	1.78	113	13.95*2.62	13.95	2.62	156	107.62*2.62	107.62	2.62
020	21.95*1.78	21.95	1.78	114	15.54*2.62	15.54	2.62	157	113.97*2.62	113.97	2.62
021	23.52*1.78	23.52	1.78	115	17.12*2.62	17.12	2.62	158	120.32*2.62	120.32	2.62
022	25.12*1.78	25.12	1.78	116	18.72*2.62	18.72	2.62	159	126.67*2.62	126.67	2.62
023	26.70*1.78	26.70	1.78	117	20.30*2.62	20.30	2.62	160	133.02*2.62	133.02	2.62
024	28.30*1.78	28.30	1.78	118	21.90*2.62	21.90	2.62	161	139.37*2.62	139.37	2.62
025	29.87*1.78	29.87	1.78	119	23.47*2.62	23.47	2.62	162	145.72*2.62	145.72	2.62
026	31.47*1.78	31.47	1.78	120	25.07*2.62	25.07	2.62	163	152.07*2.62	152.07	2.62
027	33.05*1.78	33.05	1.78	121	26.65*2.62	26.65	2.62	164	158.42*2.62	158.42	2.62
028	34.65*1.78	34.65	1.78	122	28.25*2.62	28.25	2.62	165	164.77*2.62	164.77	2.62
029	37.82*1.78	37.82	1.78	123	29.82*2.62	29.82	2.62	166	171.12*2.62	171.12	2.62
030	41*1.78	41.00	1.78	124	31.42*2.62	31.42	2.62	167	177.47*2.62	177.47	2.62
031	44.17*1.78	44.17	1.78	125	33*2.62	33.00	2.62	168	183.82*2.62	183.82	2.62
032	47.35*1.78	47.35	1.78	126	34.60*2.62	34.60	2.62	169	190.17*2.62	190.17	2.62
033	50.52*1.78	50.52	1.78	127	36.17*2.62	36.17	2.62	170	196.52*2.62	196.52	2.62
034	53.70*1.78	53.70	1.78	128	37.77*2.62	37.77	2.62	171	202.87*2.62	202.87	2.62
035	56.87*1.78	56.87	1.78	129	39.35*2.62	39.35	2.62	172	209.22*2.62	209.22	2.62
036	60.05*1.78	60.05	1.78	130	40.95*2.62	40.95	2.62	173	215.57*2.62	215.57	2.62
037	63.22*1.78	63.22	1.78	131	42.52*2.62	42.52	2.62	174	221.92*2.62	221.92	2.62
038	66.40*1.78	66.40	1.78	132	44.12*2.62	44.12	2.62	175	228.27*2.62	228.27	2.62
039	69.57*1.78	69.57	1.78	133	45.70*2.62	45.70	2.62	176	234.62*2.62	234.62	2.62
040	72.75*1.78	72.75	1.78	134	47.30*2.62	47.30	2.62	177	240.97*2.62	240.97	2.62
041	75.92*1.78	75.92	1.78	135	48.90*2.62	48.90	2.62	178	247.32*2.62	247.32	2.62
042	82.27*1.78	82.27	1.78	136	50.47*2.62	50.47	2.62	201	4.34*3.53	4.34	3.53
043	88.62*1.78	88.62	1.78	137	52.07*2.62	52.07	2.62	202	5.94*3.53	5.94	3.53



MECH

SPARES RUBBER PRODUCTS

AS568 system UNIT:mm

O-RING NO	SPEC	ID	WIDTH	O-RING NO	SPEC	ID	WIDTH	O-RING NO	SPEC	ID	WIDTH
203	7.52*3.53	7.52	3.53	246	113.89*3.53	113.89	3.53	313	16.81*5.33	16.81	5.33
204	9.12*3.53	9.12	3.53	247	117.07*3.53	117.07	3.53	314	18.42*5.33	18.42	5.33
205	10.69*3.53	10.69	3.53	248	120.24*3.53	120.24	3.53	315	19.99*5.33	19.99	5.33
206	12.29*3.53	12.29	3.53	249	123.42*3.53	123.42	3.53	316	21.59*5.33	21.59	5.33
207	13.87*3.53	13.87	3.53	250	126.59*3.53	126.59	3.53	317	23.16*5.33	23.16	5.33
208	15.47*3.53	15.47	3.53	251	129.77*3.53	129.77	3.53	318	24.77*5.33	24.77	5.33
209	17.04*3.53	17.04	3.53	252	132.94*3.53	132.94	3.53	319	26.34*5.33	26.34	5.33
210	18.64*3.53	18.64	3.53	253	136.12*3.53	136.12	3.53	320	27.94*5.33	27.94	5.33
211	20.22*3.53	20.22	3.53	254	139.30*3.53	139.30	3.53	321	29.51*5.33	29.51	5.33
212	21.82*3.53	21.82	3.53	255	142.47*3.53	142.47	3.53	322	31.12*5.33	31.12	5.33
213	23.39*3.53	23.39	3.53	256	145.64*3.53	145.64	3.53	323	32.69*5.33	32.69	5.33
214	24.99*3.53	24.99	3.53	257	148.82*3.53	148.82	3.53	324	34.29*5.33	34.29	5.33
215	26.57*3.53	26.57	3.53	258	152*3.53	152.00	3.53	325	37.47*5.33	37.47	5.33
216	28.17*3.53	28.17	3.53	259	158.34*3.53	158.34	3.53	326	40.64*5.33	40.64	5.33
217	29.74*3.53	29.74	3.53	260	164.70*3.53	164.70	3.53	327	43.82*5.33	43.82	5.33
218	31.34*3.53	31.34	3.53	261	171.04*3.53	171.04	3.53	328	46.99*5.33	46.99	5.33
219	32.92*3.53	32.92	3.53	262	177.40*3.53	177.40	3.53	329	50.17*5.33	50.17	5.33
220	34.52*3.53	34.52	3.53	263	183.74*3.53	183.74	3.53	330	53.34*5.33	53.34	5.33
221	36.09*3.53	36.09	3.53	264	190.10*3.53	190.10	3.53	331	56.52*5.33	56.52	5.33
222	37.69*3.53	37.69	3.53	265	196.44*3.53	196.44	3.53	332	59.69*5.33	59.69	5.33
223	40.87*3.53	40.87	3.53	266	202.80*3.53	202.80	3.53	333	62.87*5.33	62.87	5.33
224	44.04*3.53	44.04	3.53	267	209.14*3.53	209.14	3.53	334	66.04*5.33	66.04	5.33
225	47.22*3.53	47.22	3.53	268	215.50*3.53	215.50	3.53	335	69.22*5.33	69.22	5.33
226	50.39*3.53	50.39	3.53	269	221.84*3.53	221.84	3.53	336	72.39*5.33	72.39	5.33
227	53.57*3.53	53.57	3.53	270	228.20*3.53	228.20	3.53	337	75.57*5.33	75.57	5.33
228	56.75*3.53	56.75	3.53	271	234.55*3.53	234.55	3.53	338	78.74*5.33	78.74	5.33
229	59.92*3.53	59.92	3.53	272	240.90*3.53	240.90	3.53	339	81.92*5.33	81.92	5.33
230	63.09*3.53	63.09	3.53	273	247.25*3.53	247.25	3.53	340	85.09*5.33	85.09	5.33
231	66.27*3.53	66.27	3.53	274	253.60*3.53	253.60	3.53	341	88.27*5.33	88.27	5.33
232	69.44*3.53	69.44	3.53	275	266.29*3.53	266.29	3.53	342	91.44*5.33	91.44	5.33
233	72.62*3.53	72.62	3.53	276	278.99*3.53	278.99	3.53	343	94.62*5.33	94.62	5.33
234	75.79*3.53	75.79	3.53	277	291.69*3.53	291.69	3.53	344	97.79*5.33	97.79	5.33
235	78.97*3.53	78.97	3.53	278	304.39*3.53	304.39	3.53	345	100.97*5.33	100.97	5.33
236	82.14*3.53	82.14	3.53	279	329.79*3.53	329.79	3.53	346	104.14*5.33	104.14	5.33
237	85.32*3.53	85.32	3.53	280	355.19*3.53	355.19	3.53	347	107.32*5.33	107.32	5.33
238	88.49*3.53	88.49	3.53	281	380.59*3.53	380.59	3.53	348	110.49*5.33	110.49	5.33
239	91.67*3.53	91.67	3.53	282	405.26*3.53	405.26	3.53	349	113.67*5.33	113.67	5.33
240	94.84*3.53	94.84	3.53	283	430.66*3.53	430.66	3.53	350	116.84*5.33	116.84	5.33
241	98.02*3.53	98.02	3.53	284	456.06*3.53	456.06	3.53	351	120.02*5.33	120.02	5.33
242	101.19*3.53	101.19	3.53	309	10.46*5.33	10.46	5.33	352	123.19*5.33	123.19	5.33
243	104.37*3.53	104.37	3.53	310	12.07*5.33	12.07	5.33	353	126.37*5.33	126.37	5.33
244	107.54*3.53	107.54	3.53	311	13.64*5.33	13.64	5.33	354	129.54*5.33	129.54	5.33
245	110.72*3.53	110.72	3.53	312	15.24*5.33	15.24	5.33	355	132.72*5.33	132.72	5.33



MECH

SPARES RUBBER PRODUCTS

AS568 system

UNIT:mm

O-RING NO	SPEC	ID	WIDTH	O-RING NO	SPEC	ID	WIDTH	O-RING NO	SPEC	ID	WIDTH
356	135.89*5.33	135.89	5.33	428	123.19*6.99	123.19	6.99	463	430.66*6.99	430.66	6.99
357	139.07*5.33	139.07	5.33	429	126.37*6.99	126.37	6.99	464	443.36*6.99	443.36	6.99
358	142.24*5.33	142.24	5.33	430	129.54*6.99	129.54	6.99	465	456.06*6.99	456.06	6.99
359	145.42*5.33	145.42	5.33	431	132.72*6.99	132.72	6.99	466	468.76*6.99	468.76	6.99
360	148.59*5.33	148.59	5.33	432	135.89*6.99	135.89	6.99	467	481.46*6.99	481.46	6.99
361	151.77*5.33	151.77	5.33	433	139.07*6.99	139.07	6.99	468	494.16*6.99	494.16	6.99
362	158.12*5.33	158.12	5.33	434	142.24*6.99	142.24	6.99	469	506.86*6.99	506.86	6.99
363	164.47*5.33	164.47	5.33	435	145.42*6.99	145.42	6.99	470	532.26*6.99	532.26	6.99
364	170.82*5.33	170.82	5.33	436	148.59*6.99	148.59	6.99	471	557.66*6.99	557.66	6.99
365	177.17*5.33	177.17	5.33	437	151.77*6.99	151.77	6.99	472	582.66*6.99	582.66	6.99
366	183.52*5.33	183.52	5.33	438	158.12*6.99	158.12	6.99	473	608.06*6.99	608.06	6.99
367	189.87*5.33	189.87	5.33	439	164.47*6.99	164.47	6.99	474	633.46*6.99	633.46	6.99
368	196.22*5.33	196.22	5.33	440	170.82*6.99	170.82	6.99	475	658.86*6.99	658.86	6.99
369	202.57*5.33	202.57	5.33	441	177.17*6.99	177.17	6.99	901	4.70*1.42	4.70	1.42
370	208.92*5.33	208.92	5.33	442	183.52*6.99	183.52	6.99	902	6.07*1.63	6.07	1.63
371	215.27*5.33	215.27	5.33	443	189.87*6.99	189.87	6.99	903	7.65*1.63	7.65	1.63
372	221.62*5.33	221.62	5.33	444	196.22*6.99	196.22	6.99	904	8.92*1.83	8.92	1.83
373	227.97*5.33	227.97	5.33	445	202.57*6.99	202.57	6.99	905	10.52*1.83	10.52	1.83
374	234.32*5.33	234.32	5.33	445A	208.9*6.99	208.90	6.99	906	11.89*1.98	11.89	1.98
375	240.67*5.33	240.67	5.33	446	215.27*6.99	215.27	6.99	907	13.46*2.08	13.46	2.08
376	247.02*5.33	247.02	5.33	446A	221.60*6.99	221.60	6.99	908	16.36*2.21	16.36	2.21
377	253.37*5.33	253.37	5.33	447	227.97*6.99	227.97	6.99	909	17.93*2.46	17.93	2.46
378	266.07*5.33	266.07	5.33	447A	234.3*6.99	234.30	6.99	910	19.18*2.46	19.18	2.46
379	278.77*5.33	278.77	5.33	448	240.67*6.99	240.67	6.99	911	21.92*2.95	21.92	2.95
380	291.47*5.33	291.47	5.33	448A	247*6.99	247.00	6.99	912	23.47*2.95	23.47	2.95
381	304.17*5.33	304.17	5.33	449	253.37*6.99	253.37	6.99	913	25.04*2.95	25.04	2.95
382	329.57*5.33	329.57	5.33	449A	259.7*6.99	259.70	6.99	914	26.59*2.95	26.59	2.95
383	354.97*5.33	354.97	5.33	450	266.07*6.99	266.07	6.99	916	29.74*2.95	29.74	2.95
384	380.37*5.33	380.37	5.33	450A	272.4*6.99	272.40	6.99	918	34.42*2.95	34.42	2.95
385	405.26*5.33	405.26	5.33	451	278.77*6.99	278.77	6.99	920	37.47*3.00	37.47	3.00
386	430.66*5.33	430.66	5.33	451A	285.1*6.99	285.10	6.99	924	43.69*3.00	43.69	3.00
387	456.06*5.33	456.06	5.33	452	291.47*6.99	291.47	6.99	928	53.09*3.00	53.09	3.00
388	481.36*5.33	481.36	5.33	452A	297.87*6.99	297.87	6.99	932	59.36*3.00	59.36	3.00
389	506.78*5.33	506.78	5.33	453	304.17*6.99	304.17	6.99				
390	532.18*5.33	532.18	5.33	454A	316.87*6.99	316.87	6.99				
391	557.58*5.33	557.58	5.33	455	329.57*6.99	329.57	6.99				
392	582.68*5.33	582.68	5.33	456	342.27*6.99	342.27	6.99				
393	608.06*5.33	608.06	5.33	457	354.97*6.99	354.97	6.99				
394	633.46*5.33	633.46	5.33	458	367.67*6.99	367.67	6.99				
395	658.86*5.33	658.86	5.33	459	380.37*6.99	380.37	6.99				
425	113.67*6.99	113.67	6.99	460	393.07*6.99	393.07	6.99				
426	116.84*6.99	116.84	6.99	461	405.26*6.99	405.26	6.99				
427	120.02*6.99	120.02	6.99	462	417.96*6.99	417.96	6.99				